











# CABIN

DENMARK 2006 - 2007



# CONTENTS

Cabin	3
Ocean	4
New Classic	5
New Line	6
Concorde Stainless	7
Concorde Glass Line	8
Jazz	9
Minor	10
Light-House	11
Thea	11
Ceiling Lamps Anne Mia	12-13
Downlights	14-19
LED lights	20-22
LED transformer	23
Cabin Hook	23
Cabin Dim	23
Oil lamps	24




At Cabin Denmark we produce lights of unique and timeless design.


Our lights are designed for yachts, but are also used in cruising vessels, hotels, libraries, restaurants and private homes.

The Cabin products offer the best possible lighting solutions while using the finest raw materials and modern methods of production. All lights are made in Denmark or made for Cabin in Germany.

This catalogue shows our current range of products. Please visit [www.cabin.dk](http://www.cabin.dk) for the latest news and updates.

# CABIN

Type	Yacht Light		
Design	Povl Frigast		
Material	Brass		
Finish	Lacquer		
	Chromium		
	Gold		
Small	A	73mm / 2.87in	
	B	115mm / 4.53in	
	C	90mm / 3.54in	
	D	110mm / 4.33in	
Medium	A	90mm / 3.54in	
	B	130mm / 5.12in	
	C	90mm / 3.54in	
	D	130mm / 5.12in	
Large	A	115mm / 4.53in	
	B	172mm / 6.77in	
	C	90mm / 3.54in	
	D	156mm / 6.14in	
Flex arm	400mm / 15.75in		
Switch	Yes		
Dimmer	On request		
Volt	12V/24V		
	230V on request		
	  		



Part No:                      Bulb      Watt max

<b>Cabin small</b>				
10H	Brass	G4		10
11H	Chromium	G4		10
15H	Gold	G4		10

<b>Cabin medium</b>				
20H	Brass	G4		10
21H	Chromium	G4		10
25H	Gold	G4		10

<b>Cabin large</b>				
40H	Brass	G4		20
41H	Chromium	G4		20
45H	Gold	G4		20

<b>Cabin chart small</b>				
30H	Brass	G4		10
31H	Chromium	G4		10
35H	Gold	G4		10

<b>Cabin chart medium</b>				
50H	Brass	G4		10
51H	Chromium	G4		10
55H	Gold	G4		10








Cabin medium chromium



Cabin chart medium brass

# OCEAN

Type	Yacht Light	
Design	Povl Frigast	
Material	Stainless steel	
Finish	Highly finished	
Small	A	75mm / 2.96 in
	B	115mm / 4.33 in
	C	92mm / 3.62 in
	D	112mm / 4.45 in
Medium	A	90mm / 3.54 in
	B	130mm / 5.12 in
	C	92mm / 3.62 in
	D	130mm / 5.12 in
Flex arm	400mm / 15.75 in	
Switch	Yes	
Dimmer	On request	
Volt	12V/24V	
	230V on request	
	  	



Part No:                      Bulb    Watt max

## Ocean small

70H    Stainless steel    G4            10

## Ocean medium

60H    Stainless steel    G4            10

## Ocean chart small

36H    Stainless steel    G4            10

## Ocean chart medium

56H    Stainless steel    G4            10



Ocean medium



Ocean chart small

# NEW CLASSIC



Type	Yacht Light
Material	Brass
Finish	Lacquer Chromium
A	80mm / 3.15in
B	130mm / 5.12in
C	92mm / 3.62in
D	130mm / 5.12in
Flex arm	400mm / 15.75in
Switch	Yes
Dimmer	On request
Volt	12V/24V
	CE ◊ ◊

Part No:                      Bulb    Watt max

<b>New Classic</b>			
620H	Brass	G4	10
620HAN	Anthracite	G4	10
621H	Chromium	G4	10

## **New Classic chart**

650H	Brass	G4	10
650HAN	Anthracite	G4	10
651H	Chromium	G4	10







New Classic chart anthracite



New Classic brass

# NEW LINE

Material	Brass
Finish	Lacquer
or	
Material	Stainless steel
Finish	Highly finished
	Brushed
A	72mm / 2.84in
B	110mm / 4.33in
C	72mm / 2.84in
D	110mm / 4.33in
Flex arm	400mm / 15.75in
Brushed	300mm / 11.88in
Switch	Yes
Volt	12V/24V
	CE  



Part No.	Bulb Watt max		
<b>New Line</b>			
310H	Brass	G4	10
311H	Stainless steel	G4	10
311HBRU	Stainless brushed	G4	10
<b>New Line chart</b>			
330H	Brass	G4	10
331H	Stainless steel	G4	10
33HBRU	Stainless brushed	G4	10






New Line stainless steel



New Line chart brass

# CONCORDE

Type	Yacht Light
Material	Stainless steel
Finish	Brushed
	Anthracite
A	110mm / 4.33in
B	140mm / 5.51in
C	72mm / 2.84in
D	100mm / 3.94in
Switch	Yes
Volt	12V/24V
	  


Part No:	Bulb	Watt max
326HBRU	G4	10
326HAN Anthracite	G4	10





Concorde stainless steel brushed



Concorde anthracite



# CONCORDE

Type	Yacht Light
Material	Brass
Finish	Lacquer
	Gold
or	
Material	Stainless steel
Finish	Highly finished
Glass	Amber
	Blue
	White
	Green
A	110mm / 4.33in
B	140mm / 5.51in
C	92mm / 3.62in
D	125mm / 4.93in
Switch	Yes
Dimmer	On request
Volt	12V / 24V
	CE  


Part No:		Bulb	Watt max
920AM	Stainless/Amber	G4	10
920BL	Stainless/Blue	G4	10
920GR	Stainless/Green	G4	10
920WH	Stainless/White	G4	10
925AM	Gold/Amber	G4	10
925BL	Gold/Blue	G4	10
925GR	Gold/Green	G4	10
925WH	Gold/White	G4	10
929AM	Brass/Amber	G4	10
929BL	Brass/Blue	G4	10
929GR	Brass/Green	G4	10
929WH	Brass/White	G4	10



Concorde stainless steel white





Concorde stainless steel blue






# JAZZ

Type	Yacht Light
Material	Brass
Finish	Laquer
	Gold
or	
Material	Stainless steel
Finish	Highly finished
Glass	White
A	110mm / 4.33in
B	125mm / 4.93in
C	92mm / 3.62in
D	160mm / 6.30in
Switch	Yes
Dimmer	On request
Volt	12V/24V
	CE  


Part No:	Bulb	Watt max
950WH Brass	G4	20
951WH Stainless steel	G4	20
955WH Gold	G4	20



Jazz stainless steel

# MINOR

Type	Yacht Light
Material	Brass
Finish	Lacquer
	Gold
or	
Material	Stainless steel
Finish	Highly finished
Glass	Blue
	White
	Green
A	70mm / 2.75in
B	110mm / 4.33in
C	72mm / 2.84in
D	110mm / 4.33in
Flex arm	300mm / 11.88in
Switch	Yes
Volt	12V/24V
	CE    III    F



Part No:                      Bulb Watt max

<b>Minor</b>			
900BL	Brass/Blue	G4	10
900GR	Brass/Green	G4	10
900WH	Brass/White	G4	10
901BL	Stainless/Blue	G4	10
901GR	Stainless/Green	G4	10
901WH	Stainless/White	G4	10
905BL	Gold/Blue	G4	10
905GR	Gold/Green	G4	10
905WH	Gold/White	G4	10

### Minor chart

930BL	Brass/Blue	G4	10
930GR	Brass/Green	G4	10
930WH	Brass/White	G4	10
931BL	Stainless/Blue	G4	10
931GR	Stainless/Green	G4	10
931WH	Stainless/White	G4	10
935BL	Gold/Blue	G4	10
935GR	Gold/Green	G4	10
935WH	Gold/White	G4	10






Minor chart brass white






Minor stainless steel white


## LIGHT-HOUSE

Type	Yacht Light	
Design	Erik Magnussen	
Material	Polycarbonate	
Dimensions	Ø 90mm / 3.54in	
	H 50mm / 6.69 in	
Switch	Yes	
Volt	12V/24V	
	  	
Part No:	Bulb	Watt max
LH201WH	G4	10W

## THEA

Type	Ceiling Lamp	
Design	Peter Koefoed	
Material	Mahogany or teak	
Finish	Lacquered	
Lens	Glass	
Glass-ring	Stainless or gold plated	
A	165mm / 6.50in	
B	55mm / 2.17in	
Switch	On request	
Volt	12V/24V	
	  	

Part No:	Bulb	Watt max
170H	Gold	G4 20
170HS	Gold	G4 20
171H	Stainless	G4 20
171HS	Stainless	G4 20
H=halogen, S=switch		
Mahogany or teak - please mention in order		







LH201WH



Thea mahogany gold

# ANNE - MIA

Type	Ceiling Lamp	
	Surface mounted	
Material	Brass	
Finish	Lacquer	
	Gold	
or		
Material	Stainless steel	
Finish	Highly finished	
Lens	Polycarbonate	
Anne	A	165mm / 6.50in
	B	45mm / 1.77in
Mia	A	200mm / 7.88in
	B	55mm / 2.17in
Switch	On request	
Volt	12V/24V	
	230V on request	
	  	



Part No:		Bulb	Watt max
<b>Anne</b>			
160H	Brass	G4	10
160HS	Brass	G4	10
160S2B	Brass	G4	10
	white G4+red LED**		
161H	Stainless steel	G4	10
161HS	Stainless steel	G4	10
161S2B	Stainless steel	G4	10
	white G4+red LED**		
165H	Gold	G4	10
165HS	Gold	G4	10
165S2B	Gold	G4	10
	white G4+red LED**		
166H	Stainless steel*	G4	10
166HS	Stainless steel*	G4	10
166S2B	Stainless steel*	G4	10
	white G4+red LED**		


Part No:		Bulb	Watt max
<b>Mia</b>			
200H	Brass	G4	20
200HS	Brass	G4	20
201H	Stainless steel	G4	20
201HS	Stainless steel	G4	20
205H	Gold	G4	20
205HS	Gold	G4	20
206H	Stainless steel	G4	20
206HS	Stainless steel	G4	20
H=halogen, S=switch, *no badge			
**Please order 12V or 24V			



Mia stainless steel with switch

# ANNE II - MIA II

Type	Ceiling Lamp	
	Recessed	
Material	Brass	
Finish	Lacquer	
	Gold	
or		
Material	Stainless steel	
Finish	Highly finished	
Lens	Polycarbonate	
Anne II	A	155mm / 6.30in
	B	32mm / 1.26in
	C	25mm / 0.98in
	D	125mm / 4.92in
Mia II	A	195mm / 7.68in
	B	32mm / 1.26in
	C	25mm / 0.98in
	D	160mm / 6.30in
Volt	12V/24V	
	  	






Part No:	Bulb	Watt max
<b>Anne II</b>		
150H	Brass	G4 10
155H	Gold	G4 10
156H	Stainless steel	G4 10
<b>Mia II</b>		
190H	Brass	G4 20
191H	Stainless steel	G4 20
195H	Gold	G4 20




Anne II brass

# CIRCLE QUATTRO

Type	Downlight	
Material	Stainless steel	
540-03/541-03 fixed light		
540-03	A	60mm / 2.37in
541-03	A	57,5x57,5 mm/ 2.38x2.38in
	B	15mm / 0.59in
	C	40mm / 1.58in
	D	40mm / 1.58in
540-11/542-11 tiltable light		
540-11	A	75mm / 2.95in
541-11	A	75x75mm / 2.95x2.95in
542-11	A	140 x75 / 5.51x2.95in
	B	15mm / 0.59in
	C	40mm / 1.58in
	D	53mm / 2.10in
Switch	No	
Volt	12V/24V	
	  	

Part No:	Bulb	Watt max
540-03	Highly finished GU4	10W
540-03BRU	Brushed GU4	10W
541-03	Highly finished GU4	10W
541-03BRU	Brushed GU4	10W
540-11	Highly finished GU4	20W
540-11BRU	Brushed GU4	20W
541-11	Highly finished GU4	20W
541-11BRU	Brushed GU4	20W
542-11	Highly finished GU4	20W
542-11BRU	Brushed GU4	20W






Circle 540-03BRU



Circle 540-11BRU



Quattro 541-11BRU









Quattro 541-03BRU






Quattro Due 542-11BRU

# DOWNLIGHT

Type	Downlight 526	
	Tiltable	
Material	Stainless steel	
Finish	Highly finished	
	Brushed	
A	65mm / 2.56in	
B	9mm / 0.36in	
C	42mm / 1.65in	
D	53mm / 2.09in	
Switch	No	
Volt	12V/24V	
	   IP67	
Part No:	Bulb	Watt max
526	GU4	20

Type	Downlight 576	
	Tiltable	
Material	Stainless steel	
Finish	Highly finished	
A	90mm / 3.54in	
B	10mm / 0.40in	
C	55mm / 2.16in	
D	70mm / 2.75in	
Switch	No	
Volt	12V/24V	
	   IP67	
Part No:	Bulb	Watt max
576	GU5,3	20


Type	Downlight 596	
Material	Stainless AISI 316	
Finish	Highly finished	
A	100mm / 3.94in	
B	20mm / 0.79in	
C	55mm / 2.16in	
D	57mm / 2.25in	
Switch	No	
Volt	12 V / 24 V	
	   IP67	
Part No:	Bulb	Watt max
596	GU 5,3	20



Downlight 526 - 576







Downlight 596








# DOWNLIGHT

Type	Downlight 589		
Material	EPI, alu-reflector frosted glass		
A	75mm / 2.95in		
B	6mm / 0.24in		
C	15mm / 0.59in		
D	65mm / 2.56in		
Fixing	3 springs or screws		
Switch	Yes		
Volt	12V/24V CE  		
Part No:	Finish:	Bulb	Watt max
589C	Chromium	G4	10
589WH	White	G4	10

Type	Downlight 591- 02 for surface mounting with switch		
Material	EPI, alu-reflector frosted glass		
A	93mm / 3.66in		
B	32mm / 1.26in		
Fixing	3 screws		
Switch	Yes		
Volt	12V/24V CE  		
Part No:		Bulb	Watt max
591-02BLACK		G4	10



Type	Downlight 510		
Material	Aluminium		
A	55mm / 2.16in		
B	4mm / 0.16in		
C	47mm / 1.85in		
D	43mm / 1.70in		
Switch	No		
Volt	12V/24V CE  		
Part No:	Finish:	Bulb	Watt max
510WH	White	GU4	10
519	Titan	GU4	10



Downlight 589WH




Downlight 510WH





Downlight 591-02 BLACK


# DOWNLIGHT


Type	Downlight 585		
Material	EPI, alu-reflector frosted glass		
A	68mm / 2.68in		
B	3mm / 0.12in		
C	26mm / 1.02in		
D	55mm / 2.17in		
Fixing	2 springs		
Switch	No		
Volt	12V/24V CE 		
Part No:	Finish:	Bulb	Watt max
585C	Chromium	G4	10W
585G	Gold	G4	10W
585MC	Matt chrom	G4	10W
585WH	White	G4	10W

Type	Downlight 585-02 for surface mounting		
Material	EPI, alu-reflector frosted glass		
A	68mm / 2.68in		
B	25mm / 0.98in		
Fixing	3 screws		
Switch	No		
Volt	12V/24V CE 		
Part No:	Finish:	Bulb	Watt max
585-02C	Chromium	G4	10W
585-02G	Gold	G4	10W
585-MC	Matt chrom	G4	10W
585-02WH	White	G4	10W

Type	Downlight 585-11 tiltable		
Material	EPI, alu-reflector frosted glass		
A	69mm / 2.72in		
B	17mm / 0.67in		
C	19mm / 0.75in		
D	55mm / 2.17in		
Fixing	3 screws		
Switch	No		
Volt	12V/24V CE 		
Part No:	Finish:	Bulb	Watt max
585-11C	Chromium	G4	10W
585-11G	Gold	G4	10W
585-11WH	White	G4	10W

Type	Downlight 587		
Material	EPI, alu-reflector frosted glass		
A	72mm / 2.84in		
B	7mm / 0.28in		
C	15mm / 0.59in		
D	55mm / 2.17in		
Fixing	3 springs or screws		
Switch	No		
Volt	12V/24V CE 		
Part No:	Finish:	Bulb	Watt max
587C	Chromium	G4	10W
587G	Gold	G4	10W
587WH	White	G4	10W

Type	Downlight 588		
Material	EPI, alu-reflector frosted glass		
A	81mm / 3.18in		
B	7mm / 0.28in		
C	15mm / 0.59in		
D	55mm / 2.17in		
Fixing	3 springs or screws		
Switch	No		
Volt	12V/24V CE 		
Part No:	Finish:	Bulb	Watt max
588C	Chromium	G4	10W
588G	Gold	G4	10W
588MC	Mat chrom	G4	10W
588WH	White	G4	10W





Downlight 585C



Downlight 585-02WH



Downlight 585-11C



Downlight 587G



Downlight 588MC

## LED 1000


Type	LED light
	Surface mounted
Material	Aluminium
	Stainless Steel AISI 304
A	82mm / 3.23in
B	20mm / 0.78in
C	6mm / 0.25in
Light cone	60°
No. of LED	4
mcd	1220 - 2920
Lifetime	25.000-50.000h
Switch	No
Volt	12V
Watt	0,5-0,6W
	IP20
	IP65 on request

Part No:	LED colour:
Aluminium white	
1000WHBL	●
1000WHRE	●
1000WHWH	●
1000WHYE	●

Aluminium black	
1008BL	●
1008RE	●
1008WH	●
1008YE	●

Aluminium titan	
1009BL	●
1009RE	●
1009WH	●
1009YE	●

Part No:	LED colour:
Stainless steel	
1006BL	●
1006RE	●
1006WH	●
1006YE	●



1009BL

1000WHRE

## LED 1010

Type	LED light
	Surface mounted
Material	Aluminium
	Stainless Steel AISI 304
A	82mm / 3.23in
B	20mm / 0.78in
C	5mm / 0.20in
Light cone	120°
No. of LED	4
mcd	1220 - 2920
Lifetime	25.000-50.000h
Switch	No
Volt	12V
Watt	0,5-0,6W
	IP40
	IP65 on request

Part No:	LED colour:
Aluminium white	
1010WHBL	●
1010WHRE	●
1010WHWH	●
1010WHYE	●

Aluminium black	
1018BL	●
1018RE	●
1018WH	●
1018YE	●

Aluminium titan	
1019BL	●
1019RE	●
1019WH	●
1019YE	●



Part No:	LED colour:
Stainless steel	
1016BL	<span style="color: blue;">●</span>
1016RE	<span style="color: red;">●</span>
1016WH	<span style="color: white;">●</span>
1016YE	<span style="color: yellow;">●</span>

## LED 1030

Type	LED light
	Recessed
Material	Aluminium
A	90mm / 3.55in
B	25mm / 0.99in
C	3mm / 0.12in
D	12mm / 0.45in
Light cone	20°
No. of LED	4
mcd	1220 - 2920
Lifetime	25.000-50.000h
Switch	No
Volt	12V
Watt	0,5-0,6W
	IP40

Part No:	LED colour:
Aluminium black	
1038BL	<span style="color: blue;">●</span>
1038RE	<span style="color: red;">●</span>
1038WH	<span style="color: white;">●</span>
1038YE	<span style="color: yellow;">●</span>

Aluminium titan	
1039BL	<span style="color: blue;">●</span>
1039RE	<span style="color: red;">●</span>
1039WH	<span style="color: white;">●</span>
1039YE	<span style="color: yellow;">●</span>



1016RE


1019BL

1039BL

1038RE

## LED 1020


Type	LED light
	Surface mounted
Material	Aluminium
A	40mm / 1.58in
B	20mm / 0.78in
Light cone	120°
No. of LED	9
mcd	3420 - 6570
Lifetime	25.000-50.000h
Switch	No
Volt	24V
Watt	1,0-1,2W
Part No:	LED colour:
Aluminium black	
1028BL	<span style="color: blue;">●</span>
1028RE	<span style="color: red;">●</span>
1028WH	<span style="color: white;">●</span>
1028YE	<span style="color: yellow;">●</span>



1028YE

## LINE LED

Type	LED light
	Surface mounted
Material	Aluminium body
	Acrylic cover
LED colour	Blue (BL)
	Red (RE)
	White (WH)
	Yellow (YE)
Lifetime	25.000-50.000h
Switch	No
Volt	12V / 24V
Dimensions	17x21 mm
	0.67x0.83 in
Part No:	Length: No. of LED:
1050xx 260 12V	260mm 16
1050xx 380 12V	380mm 24
1050xx 500 12V	500mm 32
1050xx 320 24V	260mm 20
1050xx 460 24V	460mm 30
1050xx 880 24V	880mm 60
xx = colour	
Ask for other lengths.	



Line LED

## LED Transformer

For 24V electrical system and use of 12V LED:

Part No:	IN	OUT
OT 3/12	20-30V DC	12V 3W
OT10/12	20-30V DC	10,5V 20W

For 120-240V electrical system:

Part No:	IN	OUT
OT12/10	230-240VAC	10,5V 12W
OT20/24S	120-240VAC	10,5V 20W
OT50/10E	120-277VAC	10,5V 50W
OT8/24	200-240VAC	24V 8W
OT20/24	230-240VAC	24V 20W
OT75/24E	120-277VAC	24V 75W

### LED Dimmer

Our LED lights are dimmable 0-100% with OSRAM LED dimmer.

Part No:	IN	OUT
OT DIM	9,5-25V	5A



## CABIN HOOK

A nice Cabin product that makes life on board easier.

Hook 30mm	
K30C	BRASS/CHROMIUM
K30G	BRASS/GOLD
K30M	BRASS/MAT-CHROMIUM
Hook 50mm	
K50C	BRASS/CHROMIUM
K50G	BRASS/GOLD
K50M	BRASS/MAT-CHROMIUM



## GENERAL

All low voltage lights are delivered with 12V bulbs.

24V/28V on request.

## DIMMER

The electronic dimmer makes it possible to regulate the light to the intensity you want. The Cabin Dim can be mounted in most of our lights.

Part No:

DIM12	Dimmer 12V
DIM24	Dimmer 24V



## COPENHAGEN

Type	Oil lamp
Design	Ilse D. Ammonsens
Material	Brass
Finish	Highly finished
	Chromium
	Gold
Height	210-270mm
	8.27-10.64in
Part No:	Finish
9070	Brass
9071	Chromium
9075	Gold

## LIGHT-HOUSE

Type	Oil lamp
Design	Erik Magnussen
Material	Stainless steel
Finish	Brushed
Dimension	410x86mm
	16.15x3.39in
Part No.	9301



Copenhagen chromium



Light-House Oil lamp

Münster Cabin ApS, Damgade 97, DK-6400 Sønderborg, Tel: +45 7443 5200, Fax: +457443 5700, E-mail: [cabin@cabin.dk](mailto:cabin@cabin.dk), [www.cabin.dk](http://www.cabin.dk)  
 AUS: Yard Engineering, Tel: 03 9701 5433, Fax: 03 9701 805, E-mail: [yard@vicnet.net.au](mailto:yard@vicnet.net.au), [www.vicnet.net.au/~yard](http://www.vicnet.net.au/~yard)  
 CAN: Imtra Corporation, Tel: 508 995 7000, Fax: 508 998 5359, E-mail: [cabin@imtra.com](mailto:cabin@imtra.com), [www.imtra.com](http://www.imtra.com)  
 CH: Navitech AG, Tel: 32 332 9220, Fax: 32 332 9229, E-mail: [navitech@navitech.ch](mailto:navitech@navitech.ch), [www.navitech.ch](http://www.navitech.ch)  
 GB: Calibra Marine Internat., Tel: 023 8040 3944, Fax: 023 8040 4509, E-mail: [sales@calibramarine.co.uk](mailto:sales@calibramarine.co.uk), [www.calibramarine.co.uk](http://www.calibramarine.co.uk)  
 NL: ASA Boot Electro B.V., Tel: 020 436 9100, Fax: 020 436 9109, E-mail: [info@asabootelectro.nl](mailto:info@asabootelectro.nl), [www.asabootelectro.nl](http://www.asabootelectro.nl)  
 NO: Sleipner Motor A/S, Tel: 69 300 060, Fax: 69 300 070, E-mail: [info@sleipner.no](mailto:info@sleipner.no), [www.sleipner.no](http://www.sleipner.no)  
 NZ: EuroMarine, Tel: 649 448 2761, Fax: 649 448 2764, E-mail: [sales@euromarine.co.nz](mailto:sales@euromarine.co.nz), [www.euromarine.co.nz](http://www.euromarine.co.nz)  
 SE: Sleipner AB, Tel: 526 629 50, Fax: 526 152 95, E-mail: [info@sleipnerab.se](mailto:info@sleipnerab.se), [www.sleipnerab.se](http://www.sleipnerab.se)  
 USA: Imtra Corporation, Tel: 508 995 7000, Fax: 508 998 5359, E-mail: [cabin@imtra.com](mailto:cabin@imtra.com), [www.imtra.com](http://www.imtra.com)